



Tom Barrett
Mayor

Bevan K. Baker, FACHE
Commissioner of Health

Raquel M. Filmanowicz
Health Operations Administrator

Health Department

Family and Community Health Services

web site: www.milwaukee.gov/health

Routine Food Reinspection #1

ROBERT PYLES
BETTY PYLES
MCDONALD'S
8100 W BROWN DEER RD
MILWAUKEE, WI

6/6/2012

The following list of violations of the Wisconsin Administrative Code as adopted by reference in the Milwaukee Code of Ordinances Chapter 68, and/or other City ordinance(s) must be corrected as soon as possible but not later than the date specified. A re-inspection fee may be assessed if the violation is not corrected by that date. An inspection fee may be charged for any repeat violations.

Fee Amount:
\$213.00

Code Number	Description of Violation	Correct By
3-501.16	Milk and cream cheese in the front cooler is at 54F. Potentially hazardous food must be held cold at 41 degrees or below.	6/13/2012
4-501.114	There is no sanitizer hooked up to the dish machine. Ensure there is chemical sanitizer hooked up to machine and it provides adequate concentration. (REPEAT VIOLATION)	6/13/2012

Notes:

4-501.114

The sanitizer is hooked up but is not providing adequate concentration of chlorine sanitizer. Repair and monitor with test strips to ensure proper sanitizing of food equipment to prevent contamination.

3-501.16

The cooler door has been broken. Properly repair.

1. Ensure all wiping clothes are stored in sanitizer solution between uses.
2. Properly repair leak in the wash compartment drain.

On 6/6/2012, I served these orders upon ROBERT PYLES
BETTY PYLES by leaving this report with

Inspector Signature (Inspector ID:82)

Operator Signature